


PageSpeed Insights

Telefon



79 / 100 Shpejtësia


 Duhet përmirësuar:

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- None of the final above-the-fold content could be rendered even with the full HTML response.

 Përmiresim për tu konsideruar:

Telefon

GJuUkpaQ0k2SWpNMVIURXIORFExTFRGaVkyWXRORGRqTnkxaVlqTmtMV1V4WIRjek9HSmlaR1UwWkNjc0ltRjFaQ0k2SW5kcGVDMMWxibWRoWjJvdGRtbHphWFJ2Y25NdGNISnZaQzB4TXIjc0ltRjFkR2hmZEdsdFpTSTZNVFV6T1RreU9UTXhOeXdpZFhObGNsOXBaQ0k2SWpJek9ETTFPREJpTFRGaU9ETXROREjrWWkxaE5EY3hMVFE1TnpFNFpHVXhOVEF5T1Njc0luTjFZaUk2SWpJek9ETTFPREJpTFRGaU9ETXROREjrWWkxaE5EY3hMVFE1TnpFNFpHVXhOVEF5T1Njc0ltbGhkQ0k2TVRVek9Ua3IPVE14Tnl3aVpYaHdJam94TIRNNU9UTXIPVEUzTENKbWFYSmxZbUZ6WINJNmV5SnBaR1Z1ZEEdsMGFXVnpJanA3ZIN3aWMybG5ibDIwYmw5d2NtOTJhV1JsY2lJNkltTjFjM1J2YINKOWZRLmhOYWJhVW92eTdaVXU2bGIBQjltUGpCenJLaWdHYUwtUzRFdUIMOGJObWdoUUc1U0dzbFIVRWFIMkJPNU1nS0ZmSVhic0MyaFBWZmp2RI84aUZVZkVYYXRmSG8wbGQxWnmpmQVg3anhueDJBemjvcnFOTk9Dd05hai1sWmR1bUJRY1NqLVNmazBOOGdYTTVESVpzVm9MVTJhRzRJTUtaQ0pDTzVkbHJabXI4TG8xZktERU5JOFhJczlfb0tMUFFFFMkltTi1uQjZ5N1hRSE1UcWc5RER3VVItc3VhYmJYQmVfbHFoZfVXbWJSVHBDRLFdnek91VkhMZERocWxjSIFhZ241dWpPTkVpTHIjandFeW9UWVg3YnN5TzBzY0IMY3FOakNCM1VpdDV2ZzVvN2hNjA5cUE0YnJ0SEdfVm5LZEFVZVo0RVluTkZBbHRiRmktzUHhwR3pSZy9fX0. could save 318B (50% reduction).

- Compressing <https://wix-engage-visitors-prod-13.firebaseio.com/.lp?start=t&ser=31898933&cb=1&v=5> could save 157B (38% reduction).
- Compressing <https://s-usc1c-nss-209.firebaseio.com/.lp?start=t&ser=61079580&cb=3&v=5&ls=aRILv5QOOR8vuXu4Gu9u15HscITEGPZG&ns=wix-engage-visitors-prod-13> could save 155B (37% reduction).
- Compressing <https://wix-engage-visitors-prod-0.firebaseio.com/.lp?start=t&ser=84319382&cb=2&v=5> could save 153B (37% reduction).
- Compressing <https://s-usc1c-nss-209.firebaseio.com/.lp?dframe=t&id=2346512&pw=ttesuOaPsX&ns=wix-engage-visitors-prod-13> could save 142B (34% reduction).
- Compressing <https://s-usc1c-nss-209.firebaseio.com/.lp?dframe=t&id=2346844&pw=LxhgpuqOmn&ns=wix-engage-visitors-prod-13> could save 142B (34% reduction).
- Compressing <https://s-usc1c-nss-251.firebaseio.com/.lp?dframe=t&id=620296&pw=WBBHAdnvS8&ns=wix-engage-visitors-prod-0> could save 141B (34% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://maps.googleapis.com/maps/api/js?client=gme-wixcomltd2&callback=initMap&language=en> (30 minutes)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 388B (13% reduction).

- Minifying <https://static.parastorage.com/services/third-party/fonts/Helvetica/fontFace.css> could save 388B (13% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 268B (15% reduction).

- Minifying <https://static.parastorage.com/services/santa/1.5278.2/static/external/googleMap.html?language=en&lat=41.3896676&long=19.6620537&address=SH2,%20Vor%C3%AB,%20Albania&addressInfo=Isometal%20sh.p.k&showZoom=true&showStreetView=true&showMapType=true> could save 268B (15% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 2.7KiB (34% reduction).

- Minifying <https://static.parastorage.com/unpkg/wix-ui-santa@1.0.537/dist/statics/viewerComponentService.bundle.js> could save 1.3KiB (40% reduction) after compression.
- Minifying <https://static.parastorage.com/unpkg/wix-ui->

Telefon

santa@1.0.537/dist/statics/dataRefs.bundle.js could save 650B (42% reduction) after compression.

- Minifying <https://static.parastorage.com/unpkg/react-dom-factories@1.0.2/index.js> could save 548B (33% reduction) after compression.
- Minifying <https://static.parastorage.com/unpkg/gsap@1.19.0/src/minified/plugins/ScrollToPlugin.min.js> could save 230B (16% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 314B (28% reduction).

- Compressing https://acp-mobile.appspot.com/wix_widget/images/search_icon2.png could save 157B (28% reduction).
- Compressing https://wix-instantsearchplus-ssl.akamaized.net/wix_widget/images/search_icon2.png could save 157B (28% reduction).



Kalon 3 kontrolle

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

You have no render-blocking resources. Learn more about [removing render-blocking resources](#).

68 / 100 Eksperiencia e përdoruesit

 Duhet përmirësuar:

Configure the viewport

Your page specifies a fixed-width desktop viewport. Use a responsive viewport to allow your page to render properly on all devices.

[Configuring a viewport](#) specifying width=device-width instead of width=980 will allow your page to adapt for devices of various widths. This may require additional work to adapt your styling for smaller screens.

Use legible font sizes

The following text on your page renders in a way that may be difficult for some of your visitors to read. [Use legible font sizes](#) to provide a better user experience.

The following text fragments have a small font size. Increase the font size to make them more legible.

- HOME renders only 6 pixels tall (16 CSS pixels) final.
- PRODOTTI and 2 others render only 6 pixels tall (16 CSS pixels) final.
- © Isometal sh.p.k renders only 5 pixels tall (14 CSS pixels).
- Isolpack renders only 7 pixels tall (18 CSS pixels) final.
- Da 60 anni Iso...d industriale. renders only 6 pixels tall (16 CSS pixels) final.
- SITAV renders only 7 pixels tall (18 CSS pixels) final.
- COSTRUZIONI GENERALI renders only 6 pixels tall (16 CSS pixels) final.
- Sitav Costruzi...i industriali) renders only 6 pixels tall (16 CSS pixels).
- Pannelli copertura and 2 others render only 7 pixels tall (18 CSS pixels) final.

Telefon

- Isolpack SpA c...ento continuo. and 6 others render only 6 pixels tall (16 CSS pixels) final.
- READ MORE and 2 others render only 5 pixels tall (13 CSS pixels) final.
- ECOLINE - COMP...MENTO AL FUOCO and 2 others render only 7 pixels tall (18 CSS pixels).
- IN ALTERNATIVA...TE SCRIVERCI : and 2 others render only 7 pixels tall (18 CSS pixels).
- Isometal sh.p.k renders only 5 pixels tall (13 CSS pixels).
- Map data ©2018 Google and 2 others render only 4 pixels tall (10 CSS pixels).
- Map renders only 4 pixels tall (11 CSS pixels).
- Satellite renders only 4 pixels tall (11 CSS pixels).
- info@isometal.al renders only 6 pixels tall (16 CSS pixels).
- Tel. +355 476 44 022 and 2 others render only 6 pixels tall (16 CSS pixels).
- Send renders only 6 pixels tall (16 CSS pixels).

Përmireshim për tu konsideruar:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `Isolpack` is close to 2 other tap targets final.
- The tap target `<div id="comp-ivf1dwpgbalata" class="style-ivf1dwknslidebalata"></div>` is close to 1 other tap targets final.
- The tap target `<li class="style-ivf1dwkn...on-dot-wrapper">` and 4 others are close to other tap targets final.
- The tap target `<button class="style-ivf1dwkn...t reset-button">` and 3 others are close to other tap targets final.
- The tap target `<button class="style-ivf1dwkn...d reset-button">` is close to 5 other tap

Telefon

targets final.

- The tap target `<div id="comp-ivf1dwocprevButton" class="style-ivf1dwkn...dwknprevButton"></div>` is close to 1 other tap targets final.
- The tap target `<div class="gmnoprint"></div>` is close to 3 other tap targets.
- The tap target `<div>Isometal sh.p....on Google Maps</div>` is close to 2 other tap targets.
- The tap target `<div>Isometal sh.p....on Google Maps</div>` is close to 1 other tap targets.
- The tap target `<div>Isometal sh.p....on Google Maps</div>` and 1 others are close to other tap targets.
- The tap target `` is close to 1 other tap targets.
- The tap target `Terms of Use` is close to 2 other tap targets.
- The tap target `<button type="button"></button>` and 1 others are close to other tap targets.
- The tap target `<div class="gm-svpc"></div>` is close to 1 other tap targets.
- The tap target `<div class="gm-style-mtc">MapTerrain</div>` and 1 others are close to other tap targets.
- The tap target `<div>Map</div>` is close to 2 other tap targets.
- The tap target `<div>Satellite</div>` is close to 2 other tap targets.
- The tap target `<input id="field1" type="text" name="Name" class="style-iipxjndu_required">` and 2 others are close to other tap targets.
- The tap target `<button id="comp-ii8pgbq6submit" type="submit" class="style-iipxjndusubmit">Send</button>` is close to 1 other tap targets.



Kalon 2 kontrolle

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Size content to viewport

Telefon

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Desktop



92 / 100 Shpejtësia

! Përmiresim për tu konsideruar:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 2.1KiB (45% reduction).

- Compressing

0dkVCM2NVM2xINHvaeU92UzE3dVhHMkk2WXI4OGpnMzFPUjN6QVhRSzZJcU5peTIKdEVPZ0N
LZEIwBwJ2UVpYMHNYLVBUNXIVV0t2bvJHvNjPOVpFQWN3dnImTUNxbTViVHRR1ZyTnJPalh4
RDZsQzloVFNDMzMtTDY4MXJkR0tfcXE5WUhENTVmvVJ0RE1KbmdrdUtvVmdmNWNvN3k0aXp
RV3pqZmRRcVBrTVpMOVRRMHFXZS13VnAtYmFIZWxaTU9KaFFncXhPR2xYSm9KaHR2bk83Y
3J6UnRiWW5sYWY1WXZtQmR4UWs3YW0xazB2T21vM0R5ZkdfQSJ9fX0.&seg1=2&ts1=1&d1
=eyJ0ljoizCIsImQiOnsicil6MywiYSI6InEiLCjiljp7InAiOilvc2l0ZXMvYmVhMGfKZDktM2QwMS00Z
mUxLWjjZWetYjQzNzEzM2VmZDMwL21c3NhZ2VzLzMyZWlZNTk0LTFIn2QtNGUzMi1hZWEzLT
EwYzUwNzZmZmJhNylsInEiOnsic3AiOjE1Mzk5MjkzNjY2ODYsImkiOij0aW1lc3RhbXAifSwidCI6
MSwiaCI6Iij9fX0. could save 486B (59% reduction).

- Compressing [- Compressing](https://s-usc1c-nss-247.firebaseio.com/.lp?id=2018056&pw=LH3ni1F0XY&ser=30173079&ns=wix-engage-visitors-prod-7&seg0=1&ts0=1&d0=eyJ0ljoizCIsImQiOnsicil6MiwYiYSI6ImF1dGgiLCjiljp7ImNyZWQioijleUpoYkdjaU9pSINvekkxTmljC0ltdHBaQ0k2SWpkaE1XVmlOVEUyWVdVME1UWTROVGRpTTJzd056UmxaRFF4T0RreVpUWTBnmk13TudZeVpUVWImUS5IeUpwYzNnaU9pSm9kSFj3Y3pvdkwzTmxZM1Z5WlhSdmEyVnVMbWR2Yjkkc1pTNWpiMjB2ZDJsNExXVnVaMkZuWIMxMmFYtnBkRzI5Y3kxd2NtOWtMVGnpTENKd1YSjBhV05wY0dGdWRFbGtjam9pTXpKbFlqTTFPVFF0TVdJM1pDMDBaVE15TFdGbFIUTXRNVEjqTIRBM05tWm1ZbUUzSWI3aVIYVmtJam9pZDJsNExXVnVaMkZuWIMxMmFYtnBkRzI5Y3kxd2NtOWtMVGnpTENKaGRYUm9YM1JwYldVaU9qRTFNems1TWprek5qY3NjblZ6WlhKZmFXUWIPaUI3TjjFeFpqQTRNaTFtWWpRd0xUUTVaV0l0WVdReE55MDFoalE0TUdRek9HSmhObUlPtenKerXSWIPaUI3TjjFeFpqQTRNaTFtWWpRd0xUUTVaV0l0WVdReE55MDFoalE0TUdRek9HSmhObUlPtenKcFIYUWIPakUxTXprNU1qa3pOamNzSW1WNGNDSTZNVFV6T1Rrek1qazJoExdpWm1seVpXSmhjMIVpT25zaWFXUmXibljwZEdsbGN5STZIMzBzSW5OcFoyNWZhvzVmY0hKdmRtbGtaWEIpt2IKamRYTjBiMjBpZlgwLnNibG5rZmt0a0tSdEtfSWhydMz2dEN3aHBoM2xRMi12VDBDY0ZyQnduQnlaMUNpcnZ2TmRPMcmhZSncwZG1ZZV9jdXRjUXVzMjczR0I5S1FDVHd4MWQ3RHBpN1Z5S1BuR0xjCvZfaE82M0VoU1BpcU9FQ1B2MEhKaVlyS2xiTmRrYllwV2tQU0VNdHdjE1GVmhWVIVEdFdEVzRDSDJ1b0c1cGk3OEF3LUIFNmdyeWpCQzloMWxEVXROb2FVWnhZUGdRck50ckprOGtoNjQ4Q21HRTc0enNtcUsc244enZjNXJfck94cEFRXzjFV0ZhuVhXbW5KblhIRFVfa0IfUHBrZzVxX3FNTW9LSTc3c3hSNWZTM0ZRMWd4N01aZGxSREK3TXI3WkNaRWxjREYzQWZyaHQ2M1VxVVRcQjBcGvGZEFyU2R1Zko2THhFN1p0ZUZGVVhYQSj9fX0.&seg1=2&ts1=1&d1=eyJ0ljoizCIsImQiOnsicil6MywiYSI6InAiLCjiljp7InAiOilvY29yZS1jaGF0L3BhcnRyY2lwYW50cy8zMmViMzU5NC0xYjdkLTRIMzltYWVhMy0xMGM1MDc2ZmZiYTcvdGltZXN0YW1wliwiZCI6eyluc3YiOij0aW1lc3RhbXAifX19fQ.. could save 314B (50% reduction).• Compressing <a href=)

Desktop

prod-0.firebaseio.com/.lp?start=t&ser=84319382&cb=2&v=5 could save 157B (38% reduction).

- Compressing <https://s-usc1c-nss-247.firebaseio.com/.lp?start=t&ser=61079580&cb=3&v=5&ls=XDV0vJNITSbqCuURzR6IOjLgACwEXTqs&ns=wix-engage-visitors-prod-7> could save 155B (37% reduction).
- Compressing <https://wix-engage-visitors-prod-7.firebaseio.com/.lp?start=t&ser=31898933&cb=1&v=5> could save 151B (36% reduction).
- Compressing <https://s-usc1c-nss-247.firebaseio.com/.lp?dframe=t&id=2018056&pw=LH3ni1F0XY&ns=wix-engage-visitors-prod-7> could save 141B (34% reduction).
- Compressing <https://s-usc1c-nss-251.firebaseio.com/.lp?dframe=t&id=620509&pw=e3oUgvr6Zv&ns=wix-engage-visitors-prod-0> could save 141B (34% reduction).
- Compressing <https://s-usc1c-nss-247.firebaseio.com/.lp?dframe=t&id=2018353&pw=i8FjDbOn21&ns=wix-engage-visitors-prod-7> could save 140B (34% reduction).
- Compressing <https://s-usc1c-nss-251.firebaseio.com/.lp?id=620509&pw=e3oUgvr6Zv&ser=38230616&ns=wix-engage-visitors-prod-0&seg0=7&ts0=1&d0=eyJ0ljojZCIsImQiOnsicil6OCwiYSi6InAiLCJiljp7InAiOilvc2l0ZXMvYmVhMGFkZDktM2QwMS00ZmUxLWJjZWVtYjQzNzEzM2VmZDMwL3Zpc2l0b3ltcHJlc2VuY2UvMzJlYjM1OTQtMWI3ZC00ZTMylWFIYTMtMTBjNTA3NmZmYmE3fDZhMDUyNGNmLWY4ZDEtNGFiYi1hNzY3LTFmYWJjMjRlZjExNCIsImQiOnsicil6OSwiYSi6Im8iLCJiljp7InAiOilvc2l0ZXMvYmVhMGFkZDktM2QwMS00ZmUxLWJjZWVtYjQzNzEzM2VmZDMwL3Zpc2l0b3ltcHJlc2VuY2UvMzJlYjM1OTQtMWI3ZC00ZTMylWFIYTMtMTBjNTA3NmZmYmE3fDZhMDUyNGNmLWY4ZDEtNGFiYi1hNzY3LTFmYWJjMjRlZjExNCIsImQiOm51bGx9fX0.> could save 108B (56% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://maps.googleapis.com/maps/api/js?client=gme-wixcomltd2&callback=initMap&language=en> (30 minutes)

Desktop

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 388B (13% reduction).

- Minifying <https://static.parastorage.com/services/third-party/fonts/Helvetica/fontFace.css> could save 388B (13% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 268B (15% reduction).

- Minifying <https://static.parastorage.com/services/santa/1.5278.2/static/external/googleMap.html?language=en&lat=41.3896676&long=19.6620537&address=SH2,%20Vor%C3%AB,%20Albania&addressInfo=Isometal%20sh.p.k&showZoom=true&showStreetView=true&showMapType=true> could save 268B (15% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 2.7KiB (34% reduction).

- Minifying <https://static.parastorage.com/unpkg/wix-ui-santa@1.0.537/dist/statics/viewerComponentService.bundle.js> could save 1.3KiB (40% reduction) after compression.
- Minifying <https://static.parastorage.com/unpkg/wix-ui-santa@1.0.537/dist/statics/dataRefs.bundle.js> could save 650B (42% reduction) after compression.

Desktop

- Minifying <https://static.parastorage.com/unpkg/react-dom-factories@1.0.2/index.js> could save 548B (33% reduction) after compression.
- Minifying <https://static.parastorage.com/unpkg/gsap@1.19.0/src/minified/plugins/ScrollToPlugin.min.js> could save 230B (16% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 157B (28% reduction).

- Compressing https://acp-mobile.appspot.com/wix_widget/images/search_icon2.png could save 157B (28% reduction).

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- None of the final above-the-fold content could be rendered even with the full HTML response.



Kalon 3 kontrolle

Avoid landing page redirects

Desktop

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

You have no render-blocking resources. Learn more about [removing render-blocking resources](#).